EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	((identif$7) with (device or instrument or hardware) with command with (user or user$1defined) same (creat$3 with object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:10
L2	27	"715".clas. and ((identif$7) with (device or instrument or hardware) with command with (user or user$1defined) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:12
L3	40	"715".clas. and (select$3 with ((device or hardware) adj profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:14
L4	39	"715".clas. and (select$3 with icon with ((device or hardware) adj configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:16
L5	0	"715".clas. and (select$3 with icon with ((device or hardware) adj profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:18
L6	2	(select$3 with pre$1defined adj2 device adj2 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:18
L7	3	(select$3 with pre$1defined adj2 hardware adj2 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:18
L8	39	"715".clas. and (select$3 with	US-PGPUB;	OR		ON	2011/11/30

		(pre$1defined adj2 configuration))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			23:18
L9	44	"715".clas. and (select$3 with (pre$1defined adj3 configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/30 23:19
S3	1	edson-patrick.in. pike-melissa.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 15:28
S4	4	edson-patrick-l.in. pike-melissa-j.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:00
S5	347	715/771.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/03 16:23
S6	2	medium "electronic device" "executable steps" method "graphical interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 16:37
S7	5	"graphical interface" "hardware object" "hardware device"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 16:47
S8	1	("graphical interface" or "user interface") "hardware object" hardware "analysis object"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 16:52
S9	1300	710/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 16:52
S10	65	("graphical interface" or "user interface") "hardware object" hardware analysis	US-PGPUB; USPAT; USOCR;	AND	ON	2007/04/03 16:53

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S11	183	("graphical interface" or "user interface") and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 17:04
S12	50	analysis and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 16:53
S13	261	("graphical interface" or "user interface") and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 17:04
S14	104	analysis and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 17:22
S15	624	702/186.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 17:22
S16	142	S15 and driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/03 17:22
S17	49	("5386568" "5666499" "5675358" "5943050" "6025827" "6111573" "6137468" "6286060" "5883639" "6298474" "5422674" "5432900" "5461710" "5465362" "5465363" "5485600" "5493638" "5544301" "5555365" "5555201" "5590330" "5668997" "5734852" "5742504" "5777616" "5801958" "5812136" "5867399" "5872974" "5940296" "5944784" "5973702" "5978834" "5986653" "5999178" "6005568" "6043815" "6054983" "6061727" "6061727" "6078322" "6078324" "6078321" "6081818" "6081266" "6091412" "6125387" "6137487"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/03 17:47

		"6181343" "6195104").pn.				
S18	133	(hardware with icon) and (software with icon) and analy$3 and ("graphical interface" or "user interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:56
S19	36	S18 and "715".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 13:56
S20	4638	(software with hardware with resources) and (analy$3 or graph or filter or plot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 18:37
S21	166	S20 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 18:37
S22	799	S20 and icon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 18:38
S23	750	S22 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 18:39
S24	333	S23 and ("web page" or webpage or website or "web site" or "internet page")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 18:39
S25	10	S24 and MATLAB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 18:39
S26	30	("graphical interface" or "user interface" or GUI) and ("hardware object" or "hardware resource" or "hardware device" or "hardware representation") and ("software object" or "software resource" or "software device" or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2007/04/06 14:27

		"software representation") and ("analysis object" or "analysis resource" or "analysis device" or "analysis representation")	IBM_TDB			
S27	1283	("graphical interface" or "user interface" or GUI) and ("hardware object" or "hardware resource" or "hardware device" or "hardware representation") and ("software object" or "software resource" or "software device" or "software representation") and (analy$3 or graph or chart or plot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 14:44
S28	68	("graphical interface" or "user interface" or GUI) and ("hardware object" or "hardware resource" or "hardware device" or "hardware representation") and ("software object" or "software resource" or "software device" or "software representation") and (analy$3 or graph or chart or plot) and (test$3.ti. or measure$4.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:09
S29	1	("hardware device" same "software device") and (measurement.ab. or measurement.ti.) and ("graphical user" or "user interface" or GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:29
S30	7	"tree view" group$3 function$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/04/11 14:21
S31	50	("6578146" "20010047471" "20030200469" "20050146534" "5386568" "6732353" "6784903" "6971066" "7028331" "20020055947" "20020120790" "20020186245" "5946487" "6496864" "20070266376" "5459825" "6373534" "6380951" "6483524" "6624908" "6968505" "7257776" "20010047393" "20020059054" "20020158894" "5117351" "5557774" "5566346" "5572727" "5828851" "5867385" "5909368" "5926775" "6032208" "6044408" "6325961" "6401081" "6507864" "6654707" "6662220" "6674368" "6721799" "6742173" "7016647" "7028283" "7070091" "7165253" "7181382" "7286823" "7313608").pn.	US-PGPUB; USPAT	OR	ON	2008/08/15 13:47
S32	49	("5883639" "6298474" "5386568" "5422674" "5432900" "5461710" "5465362" "5465363" "5485600" "5493638" "5544301" "5555365" "5555201" "5590330" "5666499" "5668997" "5675358" "5734852" "5742504" "5777616" "5801958" "5812136" "5867399" "5872974"	US-PGPUB; USPAT	OR	ON	2008/08/15 13:47

		"5940296" "5943050" "5944784" "5973702" "5978834" "5986653" "5999178" "6005568" "6025827" "6043815" "6054983" "6061727" "6061727" "6078322" "6078324" "6078321" "6081818" "6081266" "6091412" "6111573" "6125387" "6137487" "6137468" "6181343" "6195104" "6205412").pn.				
S33	100	("graphical interface" or "user interface") "hardware object" hardware analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/15 17:33
S34	167	(hardware with icon) and (software with icon) and analy$3 and ("graphical interface" or "user interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:34
S35	6213	(software with hardware with resources) and (analy$3 or graph or filter or plot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:34
S36	37	("graphical interface" or "user interface" or GUI) and ("hardware object" or "hardware resource" or "hardware device" or "hardware representation") and ("software object" or "software resource" or "software device" or "software representation") and ("analysis object" or "analysis resource" or "analysis device" or "analysis representation")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:34
S37	59	"hardware device" and "software device" and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:35
S38	199	(list$3 same hardware same software same device) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:37
S39	29	(list$3 same hardware same software same device) and device.ti. and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:38
S40	7	(list$3 same hardware same software	US-PGPUB;	OR	ON	2008/08/15

		same device same configur$6) and device.ti. and "715".clas.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			17:40
S41	199	configur$3 with (plurality or multiple) with hardware with software with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:01
S42	2	configur$3 with (plurality or multiple) with hardware with software with device and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:01
S43	39	configur$3 with (plurality or multiple) with hardware with software with device with (GUI or interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:03
S44	5	"array-based environment"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 22:34
S45	21	"array programming language"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 22:36
S46	5	matlab with change with (gui or interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 22:38
S47	2028	"715".clas. and (array with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 23:24
S48	10	"715".clas. and (array with device with remov$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2009/09/12 23:24

			IBM_TDB			
S49	763	"715".clas. and ((remove or disconnect or detach) with device with remov$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 23:28
S50	64	"715".clas. and ((remove or disconnect or detach) with device with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 23:28
S51	0	"715".clas. and ((remove or disconnect or detach) with device with network) same array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 23:29
S52	16	"715".clas. and (((remove or disconnect or detach) with device with network) same (GUI or interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 23:29
S53	3	"715".clas. and (((remove or disconnect or detach) with device with detect$3) same (GUI or interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/12 23:31
S54	5	(array$1based or "array based") adj environment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 21:31
S55	5	(array$1based or "array based") adj environment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 21:33
S56	0	"715".clas. and "hardware object" and "software object" and "hardware device" and "software device"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 21:37
S57	41	"715".clas. and "hardware object"	US-PGPUB; USPAT; USOCR; FPRS;	OR	ON	2010/03/11 21:37

			EPO; JPO; DERWENT; IBM_TDB			
S58	11	"hardware object" and "software object" and "hardware device" and "software device"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 21:37
S59	10	"hardware object" and "software object" and "hardware device" and "software device" and configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 21:38
S60	4	"hardware object" and "software object" and "hardware device" and "software device" and (select$3 with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 21:39
S61	371	"hardware profile"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:13
S62	50954	(hardware adj (profile or configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:13
S63	1265	(select$3 with (hardware adj (profile or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:13
S64	3	(icon with represent$3) same (select$3 with (hardware adj (profile or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:14
S65	330	(hardware adj (profile or configuration)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:15
S66	9	(hardware adj profile).ti.	US-PGPUB; USPAT;	OR	ON	2011/04/09 16:16

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S67	6	"715".clas. and (hardware adj (profile or configuration)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:18
S68	6	"715".clas. and (hardware adj (profile or configuration or settings)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:18
S69	790	"715".clas. and ((profile or configuration or settings)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:42
S70	162	"715".clas. and (profile).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:42
S71	182	"715".clas. and (select$3 with hardware with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:47
S72	46	"715".clas. and (select$3 adj5 hardware adj configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:48
S73	30	"715".clas. and (select$3 same (hardware adj configuration) same icon same user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 16:49
S74	1	"715".clas. and (select$3 same (hardware adj settings) same icon same user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:03

S75	10	((user with select$3 with icon) same (hardware adj (settings or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:06
S76	7	((user with select$3 with icon) same (graphics adj2 (settings or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:10
S77	63	"715".clas. and ((user with select$3 with icon) same (device adj2 (settings or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:12
S78	48	"715".clas. and ((user with select$3 with icon) same (device adj (settings or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:12
S79	143	"715".clas. and ((user with select$3) with (device adj (settings or configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:18
S80	73	"715".clas. and ((user with select$3) with (device adj (configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:19
S81	41	"715".clas. and (select with pre$1defined with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:24
S82	23	"715".clas. and (select with pre$1defined adj3 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:24
S83	41	"715".clas. and (select$3 with (pre$1defined adj3 configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2011/04/09 17:25

			DERWENT; IBM_TDB			
S84	37	"715".clas. and (select$3 with (pre$1defined adj2 configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:25
S85	3	(select$3 with pre$1defined adj2 hardware adj2 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:33
S86	2	(select$3 with pre$1defined adj2 device adj2 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:33
S87	119	(select$3 with icon with ((device or hardware) adj2 configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:36
S88	79	(select$3 with icon with ((device or hardware) adj configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:36
S89	36	"715".clas. and (select$3 with icon with ((device or hardware) adj configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:37
S90	0	"715".clas. and (select$3 with icon with ((device or hardware) adj profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:38
S91	38	"715".clas. and (select$3 with ((device or hardware) adj profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/09 17:38
S92	15097	"715".clas. and ((scan or scann$3 or detect$3) with (device or hardware))	US-PGPUB; USPAT; USOCR;	OR	ON	2011/09/22 13:09

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S93	887	"715".clas. and ((scan or scann$3 or detect$3) with (device or hardware) with command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 13:10
S94	515	"715".clas. and ((scan or scann$3 or detect$3) with (device or hardware) with command with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 13:10
S95	515	"715".clas. and ((scan or scann$3 or detect$3) with (device or hardware) with command with (user or user$1defined))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 13:10
S96	58	"715".clas. and ((scan or scann$3 or detect$3) with (device or hardware) with command with (user or user$1defined) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 13:10
S97	54	"715".clas. and ((scan or scanned or scanning or detect$3) with (device or hardware) with command with (user or user$1defined) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 13:11
S98	25	"715".clas. and ((identif$7) with (device or instrument or hardware) with command with (user or user$1defined) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 14:15
S99	192	((identif$7) with (device or instrument or hardware) with command with (user or user$1defined) with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 14:18
S100	18	((identif$7) with (device or instrument or hardware) with command with (user or user$1defined) same (creat$3 with object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/09/22 14:18

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	552	(715/771.ccls. 710/1.ccls. 702/182.ccls. 702/186.ccls.) and (hardware with device) and (software with device)	USPAT; UPAD	OR	ON	2011/11/30 23:21
L11	54	(715/771.ccls. 710/1.ccls. 702/182.ccls. 702/186.ccls.) and (hardware adj2 device) and (software adj2 device)	USPAT; UPAD	OR	ON	2011/11/30 23:22
L12	7	(715/771.ccls. 710/1.ccls. 702/182.ccls. 702/186.ccls.) and ((hardware adj2 device) same configuration) and ((software adj2 device) same configuration)	USPAT; UPAD	OR	ON	2011/11/30 23:23

11/30/2011 11:27:58 PM
C:\Users\salvesteffer\Documents\EAST\Workspaces\10809152 Methods and apparatus for graphical test and measurement.wsp